PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5: WO 91/02981 (11) International Publication Number: **A1** G01N 33/58, 21/55 (43) International Publication Date: 7 March 1991 (07.03.91) PCT/GB90/01319 (74) Agent: PENNANT, Pyers; Stevens, Hewlett & Perkins, 5 (21) International Application Number: Quality Court, Chancery Lane, London WC2A 1HZ (22) International Filing Date: 24 August 1990 (24.08.90) (81) Designated States: AT (European patent), BE (European patent), CA, CH (European patent), DE (European patent)*, DK (European patent), ES (European patent), FR (European patent), GB (European patent), IT (European patent), JP, LU (European patent), NL (European patent) (30) Priority data: GB 25 August 1989 (25.08.89) 8919411.2 (71) Applicant (for all designated States except US): AMER-SHAM INTERNATIONAL PLC [GB/GB]; Amersham patent), SE (European patent), US. Place, Little Chalfont, Buckinghamshire HP7 9NA (GB). (72) Inventors; and Published (75) Inventors/Applicants (for US only): GARLAND, Peter, Bry-With international search report. an [GB/GB]; Hope Cottage, Sunnyway, Old Bosham, West Sussex PO18 8HQ (GB). CHARLES, Stephen, Alexander [GB/GB]; 5 Eliot Close, Heydon Hill, Aylesbury, Buckinghamshire HP1 9JB (GB). (54) Title: ASSAY METHOD

(57) Abstract

A method of assaying for an analyte by the use of surface plasmon resonance spectrometry (SPRS). The analyte is a member of a non-immune ligand-receptor pair. A metal surface carries the analyte or an analogue immobilised with the other member of the ligand-receptor pair reversibly bound thereto. A fluid containing the analyte is brought into contact with the metal surface, and displacement of the other member of the ligand-receptor pair monitored by SPRS.

BNSDCID: <WO_____9102981A1_L>

^{*} See back of page

DESIGNATIONS OF "DE"

Until further notice, any designation of "DE" in any international application whose international filing date is prior to October 3, 1990, shall have effect in the territory of the Federal Republic of Germany with the exception of the territory of the former German Democratic Republic.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	ES	Spain	MC	Моласо
AU	Australia	81	Finland	MG	Madagascar
BB	Barbatios	FR	France	ML	Mali
BE	Belgium	GA	Gabon	MR	Mauritania
BF	Burkina Fasso	GB	United Kingdom	MW	Malawi
BG	Bulgaria	GR	Greece	NL	Netherlands
BJ	Benin	HU	Hungary	NO	Norway
BR	Brazil	Ti	Italy	PL	Poland
CA	Canada	3P	Japan	ОЯ	Romania
CF	Central African Republic	KP	Democratic People's Republic	SD	Sudan
CG	Congo		of Korea	SE	Sweden
CH	Switzerland	KR	Republic of Korea	SN	Senegal
СМ	Cameroon	LI	Liechtenstein	su	Soviet Union
DE	Germany	LK	Sri Lanka	TD ~	Chad
DK	Denmark	LU	Luxembourg	TG	Togo
			-	us	United States of A

ASSAY METHOD

This invention concerns a method of assaying for a macromolecular analyte by use of the technique of surface plasmon resonance spectrometry (SPRS).

5 The phenomenon of SPR is well known and will not be described in detail (see EPA 305109 for example). Briefly, the intensity of monochromatic plain-polarised light (conveniently obtained from a 10 laser) reflected from the interface between an optically transparent material, e.g. glass, and a thin metal layer depends on the refractive index of material on the downstream side of the metal. Accordingly, by measuring changes in intensity of the reflected light an indication can be obtained of changes in refractive index of material at a particular point on the down-stream surface of the The intensity of reflected light also varies with the angle of incidence, and reflectivity drops 20 sharply to a minimum at a particular angle which is characteristic of the equipment.

WO 89/08260 describes a method of analysing for an analyte in a sample by bringing the sample into contact with a metal surface, on which an antibody has previously been reversibly bound to immobilised analyte or analogue, and monitoring displacement of antibody as indicative of the presence or the concentration of the analyte in the sample. That specification is mainly concerned with hapten analytes and describes only hapten-antibody and antigenantibody binding pairs.

EPA 276142 describes competition assays involving an analyte and two other reagents, in which SPRS is used to monitor the formation of a complex on a solid surface. The assay involves the use of at

25

30

5

least one other liquid reagent in addition to the sample. The signal resulting from complex formation on the surface may be obscured by noise resulting from non-specific binding of other macromolecules to the surface.

This invention provides a method of assaying for an analyte, preferably a macromolecular analyte, which is a member of a liquand-receptor pair other than a hapten-antibody or an antigen-antibody pair, by the 10 use of a metal surface adapted for surface plasmon resonance spectrometry which metal surface carries the analyte or an analogue thereof immobilised thereon with the other member of the ligand-receptor pair reversibly bound thereto, which method comprises 15 bringing a fluid containing the analyte into contact with the metal surface and observing by surface plasmon resonance spectrometry displacement of the other member of the ligand-receptor pair from the surface. The analyte is a member of a ligand-20 Many examples of such pairs are known receptor pair.

	Ligand	Receptor
	DNA	DNA
25	DNA	RNA
	RNA	RNA
	Protein	DNA
	Protein	ŖNA
	DNA	Binding drug
	RNA	Binding drug
30	Lectin	Oligosaccharide (free or in a
		glycoprotein or glycolipid)
	Neurotransmitter or	
	analogue	Protein receptor
	Hormone	Hormone receptor

Protein receptor

and include the following:

35

Growth factor or

analogue

- 3 -

Differentiation factor

or analogue Protein receptor

Enzyme Cofactor, substrate or inhibitor

Biotin Avidin

5 Enzyme Prosthetic group

Oligopeptide Protein
Immunoglobulin Protein A

Drug Binding protein

In the above, the term protein is used to include peptides.

The method involves the use of a metal surface adapted for surface plasmon resonance spectrometry. The metal may comprise silver or gold, conveniently in the form of a layer e.g. deposited by evaporation on a 15 carrier such as a glass slide. The metal surface carries the analyte or an analogue thereof immobilised An analogue of the analyte is a substance which competes with the analyte for binding to the other member of the ligand-receptor pair. Often the 20 analogue will be arranged to be as near as possible or even completely identical to the analyte. The use in assays of analyte analogues is well known. of the analyte or analogue to the metal surface without loss of binding power is effected by methods 25 which are well known. Particularly when the analyte or analogue is of low molecular weight, the use of a spacer molecule may be required. To prevent nonspecific binding at a later stage in the assay, any surplus area of the metal surface may be coated e.g. 30 with an inert protein.

Reversibly bound to the immobilised analyte or analogue is the other member of the ligand-receptor pair. In another aspect, this invention provides an assay device comprising a metal surface adapted for surface plasmon resonance spectrometry, which surface

5

10

carries immobilised thereon a member of a ligandreceptor pair, other than a hapten-antibody or an
antigen-antibody pair, with the other member of the
ligand-receptor pair reversibly bound thereto. That
other member of the ligand-receptor pair may have been
modified to increase the signal generated to increase
the SPR signal generated by its removal from the metal
surface. Such modification may involve addition of
a molecule or group of low refractive index, or more
preferably high refractive index such as polystyrene,
titanium dioxide or gold colloid.

Using this pre-formed device, the method of the invention is very simple. A fluid containing the analyte is brought into contact with the pre-coated metal surface. Analyte in the fluid sample competes with immobilised analyte for binding to the other member of the ligand-receptor pair. Displacement of the other member of the ligand-receptor pair into solution, as a complex with analyte in the sample, is monitored by surface plasmon resonance spectrometry. The method has two particular advantages:

- (a) The only fluid reagent involved is the sample containing the analyte. When this is brought into contact with the coated metal surface, the presence or the concentration of the analyte in the sample can be assayed within minutes or even seconds.
- the SPRS signal, generated by removal of a reagent from the metal surface, is not significantly contaminated by noise due to non-specific binding of material to the surface.

25

Example 1

Displacement Assay using Nucleic Acid Probes

a complementary oligonucleotide B (17mer).

Oligonucleotide B was then covalently linked to the silver surface of a slide. The slide was then blocked with hybridisation buffer. A further oligonucleotide C (50mer) which had the same sequence as part of oligonucleotide B and therefore complementary to A, was then added and displacement from the silver slide of the hybridised oligonucleotide A was measured.

Results using 32P end-labelled oligonucleotide A showed that as the amount of oligonucleotide C was increased more oligonucleotide A was released. Such changes will also be measurable by SPR.

Example 2

20 DNA Strand Displacement by SPR

Method

Preparation of oligonucleotides

A sixteen mer probe and a complementary ninety-seven mer target were prepared using phosphoramidite chemistry on the Applied Biosystems Model 380D DNA synthesizer. The DNA probe was modified in order to permit efficient and stable binding to the lver surface. This was prepared by attaching a terminal primary amine at the 5'-end of the molecule. The amino-oligonucleotide was mixed with an equal volume of 0.1M sodium hydrogen carbonate solution pH 8.5 and to this mixture a solution of SPDP (0.25 mg for each 1.0 OD of oligo used) in DMF was added. The reaction was left to equilibriate for 90 minutes at

room temperature and then eluted through a Sephadex G25 PD10 column. Fractions containing the required product were pooled together and purified by preparative HPLC. After purification the appropriate fractions were dried down by vacuum centrifugation to remove HPLC solvents and then reconstituted in a known volume of water.

Preparation of DNA Hybrid

and a complementary 97 mer was prepared by mixing 16 mer and 97 mer in a 1.5:1 molar ratio ensuring that the 16 mer, the immobilisable probe, was in excess. The preannealing was carried out at 65°C in 2x SSPE (300mM NaC1, 20mM NaH₂PO₄.H₂O, 2mM ethylenediaminetetra-acetic acid) and the mixture was allowed to cool down to room temperature for 2hrs.

SPR Experiment

- Using 1.8 x 10⁻¹⁰ moles of hybrid/ml, 1ml was pumped across a silver slide at 1µl/s after priming the slide with 2x SSPE. Following a wash step with 1ml of 2x SSPE the slide was blocked with hybridisation buffer followed by a 2x SSPE wash.

 3 x 10⁻¹⁰ moles of a 50 mer, which is complementary in sequence to the 97 mer, in 1ml 2x SSPE was flowed across the slide at a speed of 1µl/s, and the change in
- Control reactions involving no DNA and non- 30 complementary DNA were carried out.

reflectivity was monitored with time.

Data is presented below with the No DNA control value deducted from the experimental.

- 7 -

Table 1

Target DNA % change in reflectivity No DNA control 0 50 mer -1 Non-complementary DNA +1

Results demonstrate displacement of the
97 mer sequence away from the silver surface by the
complementary 50 base sequence. This does not occur in
the absence of this oligonucleotide nor in the presence
of the non-complementary sequence which does not
hybridise to the 97 mer.

20

15

25

30

CLAIMS

5

15

A method of assaying for an analyte which is a member of a ligand-receptor pair other than a haptenantibody or an antigen-antibody pair, by the use of a metal surface adapted for surface plasmon resonance 10 spectrometry which metal surface carries the analyte or an analogue thereof immobilised thereon with the other member of the ligand-receptor pair reversibly bound thereto, which method comprises bringing a fluid containing the analyte into contact with the metal surface and observing by surface plasmon resonance spectrometry displacement of the other member of the ligand-receptor pair from the surface.

- A method as claimed in claim 1, wherein the analyte is a macromolecule.
- 20 An assay device comprising a metal surface З. adapted for surface plasmon resonance spectrometry, which surface carries immobilised thereon a member of a ligand-receptor pair, other than a hapten-antibody or an antigen-antibody pair, with the other member of 25 the ligand-receptor pair reversibly bound thereto.

30

INTERNATIONAL SEARCH REPORT

International Application No PCT/GB 90/01319

		OF SUBJECT MATTER (if several classifica			
		tional Patent Classification (IPC) or to both Nati	onal Classification and IPC		
נדנט: נ	3 U1 M	33/58, 21/55			
II. FIELD	S SEARCH	ED			
		Minimum Documents			
Classificati	on System	Cla	ssification Symbols		
				•	
IPC5		G 01 N			
	•	Documentation Searched other the to the Extent that such Documents a			
				· · · · · · · · · · · · · · · · · · ·	
III. DOCU	MENTS C	ONSIDERED TO BE RELEVANTS			
Category *	Citat	ion of Document, ¹¹ with indication, where appro	opriate, of the relevant passages 12	Relevant to Claim No. ¹³	
Χ.), 276142 (ARES-SERONO RESE		1-3	
		MITED PARTNERSHIP) 27 July			
		ee page 1, line 1; page 3, able 1; cited in the application			
	,	tole 1, cited in the applica			
	1		•		
	WO, A, 8703093 (RADIOMETER A/S) 21 May 1987,				
Х	MO, V	1-3			
	see page 6, line 34; page 7, line 20; page 9, line 1 - line 18;			}	
	claims 1,7-9				
		· · · · · · · · · · · · · · · · · · ·			
P,X	lwo A	, 8909408 (ARES-SERONO RESE	ARCH & DEVELOPMENT	1-3	
• ••		IMITED PARTNERSHIP) 5 Octob			
<u> </u>	s	see page 5, line 18; page 6, line 1;			
		age 8, line 8 - line 20			
	t	able 2, claims			
]				
	_	ries of cited documents: ¹⁰ (ining the general state of the art which is not	"T" later datament published after or priority date and not in con	r the international liting dat flict with the application but	
•	onsidered to	be of particular relevance nent but published on or after the international	invention	pie or theory underlying the	
- m	ling date	·	"X" document of particular releva cannot be considered povel or	nce, the claimed invention cannot be considered to	
, r, q	ocument wt hich is cite tation or o	ich may throw doubts on priority claim(s) or d to establish the publication date of another her special reason (as specified)	involve an inventive step "Y" document of particular releval cannot be considered to invol	nce, the claimed invention	
-0- de	ocument re	erring to an oral disclosure, use, exhibition or	cannot be considered to involudocument is combined with a ments, such combination being	ue or wore other such adea.	
01	ther means	blished prior to the international fiting date but e priority date claimed	in the art.	•	
	iter than in		"&" document member of the sam	e patent tamily	
		ompletion of the International Search	Pate of Mailing of this International	Search Report	
12th M	Novembe	r 1990	1 1. 12. 90		
Internation	onal Search	ing Authority	Signature of Authorized Officer		
		PEAN PATENT OFFICE	-	Dr olele	
L	LOW	U CURTATERI OLITOC	miss T. MORTENSEN	11/1/1/1/1/1/202	

<u>BNSOOCID: <WO_____91</u>02981A1_I_>

III. DOCU	MENTS CONSIDERED TO BE RELEVANT (CONTINUED FROM THE SECOND SHEET)	
Category •	Citation of Document, with indication, where appropriate, of the relevant passages	Relevant to Claim No
Y	US, A, 4626513 (J A BURTON ET AL) 2 December 1986, see column 1, line 5 - line 48; column 4, line 22 - line 26; column 8, line 54; column 9, line 45 claims	1-3
		
Y	EP, A, 0245206 (BATTELLE MEMORIAL INST) 11 November 1987, see page 21, line 1 - line 8; page 24; claims 1,28-29	1-3
		
Р,Ү	WO, A, 8908260 (AMERSHAM INT PLC) 8 September 1989, see page 4, line 5; page 6, line 20 claims; cited in the application	1-3
		
		ł
İ		
		·
	·	
	·	
DOT !	SA/Z10 (extra sheet) (January 1985)	1

ANNEX TO THE INTERNATIONAL SEARCH REPORT ON INTERNATIONAL PATENT APPLICATION NO.PCT/GB 90/01319

ŞA

39697

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report. The members are as contained in the European Patent Office EDP file on 27/09/90. The European Patent office is in no way liable for these particulars which are merely given for the purpose of information.

Patent document cited in search report	Publication date	Patent family member(s)		Publication date	
EP-A0- 276142	27/07/88	NONE			
WO-A- 8703093	21/05/87	EP-A-	0245396	19/11/87	
WO-A- 8909408	05/10/89	AU-D- EP-A-	3361889 0359807	16/10/89 28/03/90	
US-A- 4626513	02/12/86	WO-A-	88/04429	16/06/88	
EP-A- 0245206	11/11/87	JP-T- JP-T- WO-A-	7583887 1500221 87/06956	01/12/87 26/01/89 19/11/87	
WO-A- 8908260	08/09/89	AU-D- EP-A-	3077489 0378594	31/08/89 25/07/90	

For more details about this annex; see Official Journal of the European patent Office, No. 12/82

EPO FORM P0479